


PROVIDE GUARDRAIL @ EACH SIDE OF STAIRS WHERE MORE THAN 30" ABOVE GRADE

MAXIMUM SIZE FOR OPENING TO BE SUCH THAT A SPHERE 4.375" IN DIAMETER CANNOT PASS THROUGH THE OPENING; PER CBC SEC. 1013.3, EX 5.



MIN. 34" ,MAX. 38" IF TOP RAIL ALSO SERVES AS HANDRAIL; OTHERWISE A MIN. 42"

GUARDRAIL; MAY PROJECT A MAX. OF 3.5" INTO STAIRWAY

GRADE

THE TRIANGULAR OPENING FORMED BY THE RISER, TREAD & BOTTOM RAIL SHALL BE OF A MAXIMUM SIZE SUCH THAT A SPHERE 6" IN DIAMETER SHALL NOT PASS THROUGH THE OPENING

<p>2007 CBC</p> <h1>RESIDENTIAL GUARDRAIL</h1> <p>( WITHIN INDIVIDUAL GROUP R-2 &amp; R-3 OCCUPANCIES )</p>	<p>DETAIL ##</p>	<p>THIS DETAIL APPROVED BY:</p>		
	<p>DATE: 9/07</p>	<p>FAIRFIELD _____</p> <p>VACAVILLE _____</p> <p>DIXON _____</p> <p>BENECIA _____</p> <p>WINTERS _____</p>	<p>SUISUN _____</p> <p>NAPA _____</p> <p>RIO VISTA _____</p> <p>VALLEJO _____</p> <p>AM. CANYON _____</p>	<p>DAVIS _____</p> <p>NAPA CO. _____</p> <p>SOLANO CO. _____</p> <p>MARTINEZ _____</p> <p>WOODLAND _____</p>
	<p>REVISED:</p>			